

Purina® Goat Nutrition Program

Purina® Goat Block

Supplement for maintenance of goats on pasture

Purina® Goat Block is an 18% protein block formulated to supplement your goat's daily diet. Designed with an optimal calcium and phosphorus ratio along with minerals and vitamins, Purina® Goat Block is an easy and convenient way to supplement your goat's natural forage.



FEATURES AND BENEFITS

Helps Supplement Natural Forage

Contains Copper and Zinc for Healthy Skin & Coat

Contains Vital Minerals for Overall Good Health





Goat

Purina® Goat Nutrition Program

Purina[®] Goat Block



Guaranteed Analysis:

NUTRIENT	LEVEL
Crude Protein (min.)	18.00%
Crude Fat (min.)	2.00%
Crude Fiber (max.)	8.00%
Acid Detergent Fiber (ADF), (max.)	10.00%
Ash (max.)	28.00%
Calcium (Ca),(min.)	3.20%
Calcium (Ca), (max.)	4.20%
Phosphorus (P), (min.)	1.00%
Salt (NaCl), (min.)	10.00%
Salt (NaCl), (max.)	12.00%
Sodium (Na), (max.)	5.25%
Copper (Cu), (min.)	50.00 ppm
Copper (Cu), (max.)	55.00 ppm
lodine (I), (min.)	10.00 ppm
Selenium (Se), (min.)	1.00 ppm
Selenium (Se), (max.)	1.20 ppm
Zinc (Zn), (min.)	
Vitamin A (min.)	20,000 IU/lb
Vitamin D ₃ (min.)	1,000 IU/lb

Ingredients:

Corn, Distillers Dried Grains with Solubles, Corn Gluten Feed, Salt, Cottonseed Meal, Wheat Flour, Calcium Carbonate, Wheat Middlings, Cane Molasses, Dehulled Soybean Meal, Sodium Bentonite, Dicalcium Phosphate, Monocalcium Phosphate, Dehydrated Alfalfa Meal, Ground Corn, Sodium Selenite, Zinc Sulfate, Copper Sulfate, Vitamin E Supplement, Vitamin A Supplement, Zinc Oxide, Manganous Oxide, Vitamin D₃ Supplement, Ethylenediamine Dihydroiodide, Manganese Sulfate, Cobalt Carbonate, Ferrous Sulfate, Potassium Iodide, Sodium Molybdate.

Note: Ingredients differ by manufacturing plant. Please refer to the tag for a current list of ingredients

Directions:

Feed limited amounts for the first few days and then offer free choice, scatter in pasture or field or place in bunks where goats are grazing. Supply at the rate of 1 block per 12-15 head of goats. Check supply often. Replenish when blocks are two-thirds gone. Be sure goats have roughage and water available at all times.

Consumption after the first few days should level off to 0.8 to 1.4 pounds per head per day to provide a maximum of 0.7 mg selenium per day. If consumption is too high, move blocks further from bedding and watering areas. Do not offer to starving goats.

Caution:

Contains added copper. Do not feed to sheep or other copper sensitive animals. Store in a dry, well-ventilated area protected from rodents and insects. Do not feed moldy or insect-infested feed to animals as it may cause illness, performance loss or death.

USE ONLY AS DIRECTED.

